BARNEY & BERRY SPRINGFIELD, MASS.







By Sille Sil


* SKATES. *

Springfield Mass.

VERZAMELING
Mr. J. Van Buttingha Wichers.

CULTURE CONTROL CONTROL

Emmunummunis



200

CATALOGUE 1885.

DIRECTIONS FOR ORDERING BARNEY & BERRY SKATES.

FIRST. Order style of skate by letter.

ECOND. State if Grade 1 Blued, Grade 2 Nickeled, Grade 3 Polished and Nickeled, Grade 4 Professional, or Grade 5 Diamond Toe is wanted.

JHIRD. Give size of shoe in inches and half inches. To ascertain the size, measure shoe from back of heel to toe.

FOURTH. Order extra parts for skates by Number Only, or forward broken part with order.


FIFTH. Mention date of Catalogue.

NOTE.—We cannot be expected to exchange goods or rectify mistakes that may occur through neglect of above directions.

TABLE, Giving sizes of Barney & Berry Ice Skates in inches, and the corresponding sizes of Shoes in numbers they will fit:

	, INCHES,											
SHOES,	Mos	91	11	124	1	21	4	54	7	81	10	111


BARNEY & BERRY'S LADIES' CLUB SKATE.



PATENTED April 8, 1873. Dec. 14, 1880. SIZES, 8, 8½, 9, 9½ and 10 Inches. PRICE, \$1.40

LADIES CLUB SKATE L. B. is made from the best grade of Charcoal Iron, japan finish, mounted with russet leather trimmings, patent lever buckles and nickeled heel bands. The toe strap is secured by our patent device, which holds the foot in the center of skate, and allows the skater to adjust the strap wherever most comfortable.

BARNEY & BERRY'S LADIES' CLAMP SKATE,



PATENTED April 8, 1873, Dec. 14, 1880. SIZES, 8, 8½, 9, 9½ and 10 Inches. PRICE, \$1.75

Ladies' Clamp Skate, L D, is made from the best grade of Charcoal Iron, japan finish, mounted with russet leather trimmings, patent lever buckles, and nickeled heel bands. Clamps operated by a double right and left screw.

BARNEY & BERRY'S LADIES' CLAMP SKATE,



SIZES, 8, 81/2, 9, 91/2 and 10 Inches.

Grade 1, Blued, \$2.50

Grade 2, Nickeled, \$3.25

Ladies' Clamp Skate, L.E, has crucible steel foot plates and brackets, blades fine finish, russet leather trimmings, patent buckles and nickeled heel bands.



Grade 1, Blued, \$3.50

SIZES, 8, 8½ 9, 9½ and 10 Inches


Grade 2, Nickeled, \$4.25

Grade 5, Diamond Toe, \$6.25

Grade 5, Diamond Toe, \$6.25

The blades of the L H are welded steel, tempered by Barney & Berry's patent process, foot plates and brackets of crucible steel, russet leather heel bands, stitched and lined. This is the best ladies' skate made; finest material throughout, and perfectly reliable.

BARNEY & BERRY'S LADIES' WOOD TOP SKATE.




SIZES, 7, 71/2 8, 81/2 9, 91/2 and 10 Inches.

PRICE, \$1.25

Woods made of seasoned beech, polished, blades fine finish, trimmed with best quality russet leather, patent buckles and embossed heel bands.

BARNEY & BERRY'S LADIES' WOOD TOP SKATE.



SIZES, 7, 7½, 8, 8½, 9, 9½ and 10 Inches.


PRICE, \$1.00

Polished blades, woods of beech, black straps, patent buckles and embossed heel bands.

9

6

BARNEY & BERRY'S GENTS' WOOD TOP SKATE.




SIZES, 7, 71/2, 8, 81/2, 9, 91/2, 10, 101/2 and 11 Inches.

PRICE, 87 Cents.

Polished blades, woods of beech, solid heel spur, strapped with short English straps.

BARNEY & BERRY'S



PATENTED Dec. 14, 1880.

SIZES, 7, 7½, 8, 8½, 9, 9½, 10, 10½ and 11 Inches.

PRICE, with heel plates, 35 cents.

Made from the best grade of charcoal iron, japan finish, black straps.

8

9

BARNEY & BERRY'S ALL CLAMP.




PATENTED Feb. 19, 1878 and Dec. 14, 1880.

SIZES, 8, 81/2, 9, 91/2, 10, 101/2 and 11 Inches,

PRICE, \$1.00

Made from the best grade of charcoal iron, japan finish. No straps, no heel plates. Self adjusting, clamps operated by a double right and left screw. The most desirable cheap skate made.

BARNEY & BERRY'S




Made from best grade of charcoal iron, japan finish, clamps operated by a double right and left screw.

O

 Ξ

BARNEY & BERRY'S NEW YORK CLUB.




SIZES, 7, 71/2, 8, 81/2, 9, 91/2, 10, 101/2, 11, 111/2 and 12 Inches

Grade 1, Blued, \$2.00

Grade 2, Nickeled, \$2.75

A fac-simile of the Genuine BARNEY & BERRY Club. Foot plates and brackets of steel, blades fine finish, clamps operated by a double right and left screw.

BARNEY & BERRY'S ALL CLAMP.



PATENTED June 11, 1867, and April 8, 1873.

SIZES, 7, 7½, 8, 8½, 9, 9½, 10, 10½, 11, 11½ and 12 Inches.

Grade 1, Blued, \$2.25

Grade 2, Nickeled, \$3.00

A fac-simile of the Genuine BARNEY & BERRY All Clamp. Foot plates, heel plates and brackets are made from crucible steel, blades fine finish. In applying this skate to the shoe the heel clamp should be tightened first.

12

(13

BARNEY & BERRY SHLAL RECLAMENDED.

BARNEY & BERRY" STAMPED ON POOT PLATES.

NUMBER

BARNEY & BERRY

BERRY & BERRY

PATENTED June 11, 1867, and April 8, 1873.

SIZES, 7, 7%, 8, 8%, 9, 9%, 10, 10%, 11, 11% and 12 Inches.

Grade 1, Blued, \$3.00 Grade 2, Nicke'el, 3.75 Grade 3, Polished and Nickeled, \$4.75 Grade 5, Diamond Toe, 5.75

tempered by Barney & Berry's patent process. The toe clamps being operated by a double threaded transverse screw, and the heel clamp by a longitudinal screw, it makes it impossible for the shoe to slip through the clamps, as is the case where transverse clamps are used at both toe and heel. In applying this skate to the shoe the heel clamp should be tightened first.

BARNEY & BERRY'S GENUINE CLUB.

"BARNEY & BERRY" STAMPED ON FOOT PLATES.



SIZES, 7, 71/2, 8, 81/2, 9, 91/2, 10, 101/2, 11, 111/2 and 12 Inches.

Grade 1, Blued, \$2.75

Grade 2, Nickeled, 3.50

Grade 3, Polished and Nickeled, \$4.50

Grade 5, Diamond Toe,


5.50

Foot plates, heel plates and brackets of crucible cast steel, blued; blades are welded steel, tempered by Barney & Berry's patent process. Clamps operated by a right and left screw.

(14)

71)

(17)



PATENTED April 8, 1873, May 2, 1876, February 20, 1877, March 20, 1883, and February 12, 1884.

SIZES, 8, 81/2, 9, 91/2, 10, 101/2, 11, 111/2 and 12 Inches.

Grade 1, Blued, \$2.25

Grade 2, Nickeled, \$3.00

A fac-simile of the Genuine Barney & Berry Ice King Lever. The heel plates, foot plates, toe clamps, and brackets are made from crucible cast steel, and blued. Blades fine fimsh.

BARNEY & BERRY'S ICE KING LEVER.



PATENTED April 8, 1873, May 2, 1876, February 20, 1877, March 20, 1883, and February 12, 1884. SIZES, 8, 81/2, 9, 91/2, 10, 101/2, 11, 111/2 and 12 Inches.

\$3.00 Grade 1, Blued, Grade 2, Nickeled, 3.75

Grade 3, Polished and Nickeled, \$4.75 Grade 5, Diamond Toe,

The material used in this skate is of the best quality. Blades of welded steel, tempered by BARNEY & BERRY's patent process. The toe and heel clamps are simultaneously adjusted by the action of a thumb screw, and secured by a lever operated at back of heel. No rights or lefts, each skate of a pair being constructed the same. All parts can be removed and cleansed, and are inter-changeable with other sizes of this skate. For lightness, simplicity and durability, this skate surpasses any lever skate in the market.

BARNEY & BERRY'S AMERICAN RINK.



PATENTED June 19, 1869, Reissued May 4, 1882.

PATENTED April 3, 1973, May 2, 1876, and March 20, 1883.

SIZES, 8, 81/4, 9, 11/4, 10, 101/2, 11, 111/2 and 12 Inches.

Grade 1, Blued, \$4.00 Grade 2, Nickeled, 4.75

Mat-1.

Grade 3, Polished and Nickeled, \$5.75 Grade 5, Diamond Toe, 6.75

Made from the best of material, blades of welded steel, tempered by BARNEY & BERRY's patent process. This skate is adjusted to any size shoe by a thumb screw at heel and secured by a lever operated from either right or left side. All parts can readily be removed and cleaned, and are interchangeable with other sizes of this skate.

BARNEY & BERRY'S



PATENTED April 8, 1873, May 2, 1876, February 20, 1877, March 20, 1883, February 12, 1884, and June 9, 1885.

SIZES, 8, 81/4, 9, 91/4, 10, 101/4, 11, 111/4 and 12 Inches.

Grade 1, Blued, \$2.25

Grade 2, Nickeled, \$3.00

A fac-simile of the Genuine Barney & Berry Keyless skate. clamps and brackets are made from crucible cast steel, and blued.

The heel plates, foot plates, toe Blades fine finish.

ents' shoe.

W NUMB



(20-)

The material used in this skate is of first quality. Blades of welded steel, tempered by Barney & Berry's patent process. The toe and heel clamps are simultaneously adjusted and secured to shoe by the action of a thumb screw at heel, thereby making the most simple and effective keyless skate in the market

\$3.00

Grade 2, Nickeled,

(21)

BARNEY & BERRY'S PROFESSIONAL BLADE.

PATENTED May 13, 1882 Extra Parts for any style of Skate not shown in this Catalogue.

PRICE

SIZES, 8, 81/2, 9, 91/2, 70, 10%, 11, 11/2 and 12 Inches.

This blade has the Diamond Toe, and is used by all professionals and expert amateur skaters throughout the world. It is essential to the more difficult fancy or figure skating, and is endorsed by all who have used it as a feature requisite to a complete skate. Will be made to order, and of any rock wanted by purchaser, either for straight-away skating where speed is desired, or for figure skating. Blades will be made extra wide where required. Fine finish, silver plated, name of purchaser etched on blade.

Price of Blades without Tops, " Diamond Toe. \$10.00

9 00

The Professional Blade will be furnished with either our LH, G, H, K, N or S style of fastenings; foot plates, heel plates and clamps finely engraved and nickel plated, to be known as

Grade 4.

Price \$15.00

Note .- As Grade 4 Professional is made to order and not carried in stock, order should be placed early.

> BARNEY & BERRY'S ANKLE SUPPORT.


FOR LADIES' AND GENTS' USE.

PATENTED April 25, 1879.

Grade 1. Blued, \$1.50 Grade 2, Nickeled, \$2.25

This Support can be applied to any of BARNEY & BERRY'S Skates, Numbers F, G. R, and S, and can be purchased separate from the skate. There have been many attempts at making ankle supports, but this is the only perfect article of the kind ever offered to the public. Strongly recommended

for ladies and children. When ordering please state if for ladies' or gents' shoe.



(23)


PRICES AND EXPLANATIONS

FOR EXTRA PARTS, USED ON BARNEY & BERRY SKATES. We cannot supply Extra Parts for any style of Skate not shown in this Catalogue.

NUM- ner	PRICE
14 Heel Plates, for Club or Button Skates, per pair,	5 cts.
15 Nut for heel screw of F and G Skates,	5 cts.
16 Bridge, on which center of double thread screw works,	5 cts.
17 Key. Pat, July 23, 1867,	5 cts.
62 Heart Bracket, used on E, F, G and H Skates,	5 cts.
63 Toe bracket for left side of blade,	5 cts.
64 " " right " "	5 cts.
65 Heel Bracket, used on right and left side F, G, I, K, N,	
R and S Skates,	5 cts.
66 Middle bracket, used on I, K, N, R and S Skates,	5 cts.
67 Heel bracket, used on H, LE and LH Skates,	5 cts.
99 Heel clamp, used on ALL CLAMP and LEVER Skates 91/4	
inches and below,	10 cts.
100 Heel clamp, used on ALL CLAMP and LEVER Skates 10	
inches and above,	10 cts.
101-106 Double thread toe clamps, sizes open and closed,	
marked R, right, and L, left side of foot, each	, 10 cts.
109 Short double thread screw for toe clamp,	10 cts.
110 Long " " " " "	10 cts.
111 Used with heel clamp 99,	10 cts.
112 " " " 100,	10 cts.
122 and 123 Are toe clamps used on I, K, N, R and S Skates,	
sizes 8 and 81/2 inch, each,	
124 and 125 Are same, used on 9 and 9½ inch,	10 cts.
10 inch and all above,	10 cts.
Parts listed at 5 cts. add 3 cts. extra for nickeling.	
10	
" " 20 " " 5 " " " "	
40 . 10	
Parts listed at 5 cts. add 5 cts. extra for polishing and nicl	keling.
u 11 10 11 11 10 11 11 11 11 11	
" " 20 " " 15 " " " " " "	
40	
The same advance for polishing and nickeling is charged	for extra

The same advance for polishing and nickeling is charged for extra parts named on following pages.

(24) EXTRA PARTS



PRICES AND EXPLANATIONS


FOR EXTRA PARTS USED ON BARNEY & BERRY SKATES.

We cannot supply extra parts for any style of Skate not shown in

			th	is catalogu	e.			
NUM-								PRICE
77	Heel spi	ur used	on LW	and LX SI	kate, al	1 sizes,		10 cts.
108	America	n Rink	Link,	used on al	l sizes,	comple	te as	
	, see	n in cut	,					20 cts.
113	America	n rink so	crew us	ed on 8 in.c	omplet	e as seen	in cut	, 20 cts.
114	"	**	16	" 81/4 & 9	in. "	**	66	20 cts.
117	"	"	11	"9% & 10	in. "	**	**	20 cts.
118	"	66	14	" 10½ in.	**	"	"	20 cts.
119	16	66	16	" 11 in.	"	**	***	20 cts.
120	"	**	14	"11½ in.	"	**	**	20 cts.
121	"		**	"12	"	66	**	20 cts.
128	Heel Sci	rew, use	d on A	Skate, all s	izes,			10 cts.
175	America	n Rink	Lever,	used on all	sizes,			10 cts.
178	- 66	66	46 SCT	cw "				10 cts.
233	Stud, use	ed on I,	K, J, O	, P, R and	Skate	s, all size	es,	10 cts.
235	Screw co	mplete a	as in cu	t, used on I	K&P	Skates, s	ze 8in.	
236	**	**	***	**		** 81/2		
237	"	66	**	**	**	1191/28		
238	**	tt.	"	"	**	"10%		40 cts.
239	**	64	**	"	66	" 11 in.		40 cts.
240	**	"	**	ш	44	" 11½ i		40 cts.
241	**	66	46	"	**	" 12 in		40 cts.
267 t	o 273 Scr	ews as in	a cut u	sed on J Sk	ate.	*55000000		10 cts.
267 to 273 Screws as in cut used on J Skate, No. 267—8 inch, 268—8½ and 9 inch, 269—9½ and 10 inch,								
270-101/2 inch, 271-11 inch, 272-111/2 inch,								
		—12 inc						
				sed on O, R				10 cts.
No.				nd 9 inch, 3				
		—103≨ inc		3—11 inch,	334—	11% inch	1,	
	000	12 100	111					

(26) EXTRA PARTS

For BARNEY & BERRY Skates, to be obtained of all dealers throughout the Country. Full explanations and prices on following page.



PRICES AND EXPLANATIONS

FOR EXTRA PARTS USED ON BARNEY & BERRY SKATES.

We cannot supply extra parts for any style of Skate not shown in this catalogue,

NUM-		PRICE
BER 107	Pliers for applying and removing split washers,	25 cts.
107		5 cts.
129	Hanger used on L Skate,	
180	Heel band, nickel plated,	10 cts.
181	Split washers, per dozen, 3 cts.	
183	Nut and bolt for connecting frames or blades to foot	
	and heel plates,	10 cts.
225	Screws for connecting frames to foot plates at the toe,	5 cts.
226	Steel axle, length, 2 13-16 inches,	5 cts.
226	" " " case hardened,	10 cts.
242	Nut and bolt for securing springs on roller skates,	10 cts.
244	Journal,	15 cts.
244	" case hardened,	30 cts.
288	Split Pin or Cotter, per dozen, 3 cts.	
289	Steel axle, length 3 inches,	5 cts.
289	" " case hardened,	10 cts,
290	Whole Washers, per dozen, 3 cts.	
311	Steel Spring, tempered,	5 cts.
312	Wrench,	5 cts.
313	Patent Buckle,	3 cts.
319	Screw including washer, for attaching toe strap to the	
	M Skate,	10 cts.
	Frame, polished and nickeled, used on O, J & P Skates,	\$1.00
	Frame, blued, used on O & J Skates,	50 cts.
	Frames, blued, used on M Skate,	50 cts.
	Trantes, blued, used on in Chare,	30 0131

THE BARNEY & BERRY ROLLER SKATES.

UNEXCELLED IN DESIGN,

UNSURPASSED IN CONSTRUCTION,

UNEQUALLED IN MERIT,

UNRIVALLED IN EASE OF OPERATION.

Among the leading advantages of Nos. "M," "J," "O" and "P" of the BARNBY & BERRY Roller Skates, may be mentioned:

1st. The oil well, an opening in journal extending to axle, which supplies the axle, wheels and journal bearing with oil.


2d. The use of steel springs in place of rubber, as the latter, both from use and effects of oil, varies in its elasticity, and when one worn-out rubber is removed to secure perfect action, it necessitates the renewal of all rubbers on both Skates, while springs do not require this and retain the same amount of elasticity.

3d. Owing to simplicity of construction these Skates are the lightest, the lowest, and run the easiest of any roller Skate in the market.


4th. The Barney & Berry roller Skate is noiseless as compared with other skates.


5th. The center of action coming on the axis and angle of trucks being slight, skating on the BARNEY & BERRY Roller Skate is similar to ice skating and position or inclination of body the same, without the bending of ankle as attended with skates whose trucks have considerable angle and whose center of action is on one side of the axis. (29)

These skates are finished with French polished, light colored woods, black leather mountings, patent buckles, embossed heel bands, steel axles, and maple wheels secured to axle by our patent washer. This is the only sidewalk roller skate for the price, with revolving steel axles, and having a bearing of one inch.



A complete Ladies' Skate, no keys or heel plates required, skate being secured to shoe by strap at heel, and clamps at toe operated by thumb screw at heel. Foot plates, heel plates and frames of metal, strongly riveted. Russet leather mountings, stitched and lined.





Grade 1, Blued, \$2.50 October 3, 1882, and February 12, 1884. 7, 7½, 8, 8½, 9, 9½, 10, 10½, 11, 11½ and 12 Inches.

The above skate, adapted for renting in rinks, and polo playing, has foot plates, heel plates and frames of metal, strongly riveted. Black grain leather straps. Mechanism for circling same as in our higher priced styles.




April 19, 1881, October 3, 1882, February 12, 1884 and June 9, 1885. 5, 8, 8%, 9, 9%, 10, 10%, 11 and 11% inches. Grade 3, Polished and Nickeled, \$4.50 Grad PATENTED December 21, 1880, SIZES,

Grade 4, Professional, \$10.00

(32)

Material used, of best quality. Barney & Berry's Mechanism for circling and patented Oil well. No key required. Toe clamps are operated transversely and heel clamp longitudinally of the Skate, thereby preventing the boot slipping through the clamps, as is the case where transverse clamps are used at both toe and heel. The toe clamps, heel clamps and screws of BARNEY & BERRY'S Mechanism for circling and patented the various sizes of this Skate are all interchangeable, giving any desired adjustment.



October 3, 1882 and February 12, 1884. Grade 3, Polished and Nickeled, \$6.00

Crade 3, Polished and Nickeled, \$6.00

Crade 3, Polished and Nickeled, \$6.00 PATENTED December 21, 1880,

(33)

Grade 4, Professional, \$10.00

A simple and durable Lever Roller Skate, no rights or lefts, skates adjusted to shoe by thumb screw under instep and secured by lever at heel. Can be secured handily while on the floor without tilting the skate to one side or raising up, as is the case with skates having the levers under the instep, Material and workmanship of the best, Barnery & Berrry's Mechanism for circling and patented Oil well.

BARNEY & BERRY'S PROFESSIONAL ROLLER SKATES.

Grade 4 Professional Roller Skates have an extra fine finish, frames, foot plates and clamps engraved, and name of purchaser engraved on frames, full nickel plate, journals and axles case hardened.


BARNEY & BERRY'S ROLLER SKATE, FOR RACING AND FIGURE SKATING.

SIZES. 8, 8½, 9, 9½, 10, 10½, 11, 11½ Inches.

PRICE. Polished and Nickeled, with Roll Bearing Journals and Wheels, \$12.00.

This Skate will be furnished at the above price with either our "J," "O' or "P' styles of fastenings, also without clamps, but having foot plates and heel plates drilled for small screws to be attached to sole and heel of shoe.

BARNEY & BERRY'S ROLL BEARING JOURNAL AND WHEELS.



All rolling parts of the above wheels and journals are of steel, case hardened, each truck consisting of 36 rolls, 1/4 inch in diameter, making a total of 1/4 rolls to a set. Testimonials as to the speed and durability of this Bearing have been received from the leading skaters. This bearing can be applied to the BARNEY & BERRY Skates only.

BARNEY & BERRY'S ROLLER SKATE WHEELS

Boxwood, Bonsilate.	per set		wheels,)	\$.50 .75
Solid Rawhide,	- 6	46	46	1.00
Cellu oici,	46	4+		2.00

BARNEY & BERRY'S SKATING PROGRAMME

SKATING PROGRAMME. (a.) Plain forward. (b.) Backward movement. 2. Lap-foot, as in field step and in cutting a circle. Outside edge roll, forward. Outside edge roll, backward Inside edge roll, forward. Inside edge roll, backward. Cross-roll, forward. 8. Cross-roll, backward. o. Change-of-edge roll, forward-commencing either on outside or inside edge. 10. Change-of-edge roll, backward - commencing either on outside or inside edge. II. (a) "On to Richmond," that is, cross one foot in front of the other, and with back stroke, outside edge, go backward. (b) Reverse "On to Richmond," that is, going forward by forward outside edge, stroke given alternately behind each leg. 12. "Locomotives," forward, backward and sideways -single and double. 13. Waltz steps. 14. Spread eagles, inside and outside

Wan ~~~~


edges.

15. Figure threes. (a) Beginning inside or outside edge; on field and in eight. (b) "Flying threes." (c) Double threes, beginning inside or outside edge.

16. (a) Grape vine. (b) "Philadelphia twist."

17. Toe and heel movements; embracing pivot circling, toe spins or pirouettes, and movements on both toes.

18. Single flat foot spins and double foot whirls.




19. Serpentines. (a) Single foot—forward and backward, right and left. (b) Following feet—forward and backward, right and left; in "two foot eight."

20. Figure eight on one foot, forward.



21. Figure eight on one foot, backward.



turn.
23. One foot loops, inside and of of of outside edges; simple and in combination.

24. One foot ringlets, inside and outside edges; simple and in combination.

25. Specialties; embracing original and peculiar movements.

